

Package: dematel (via r-universe)

July 21, 2024

Type Package

Title Decision Making Trial and Evaluation Laboratory Technique in R

Version 0.1.0

Date 2021-02-18

Maintainer Muhlis Ozdemir <muhlisoz@gmail.com>

Description Developed to Solve the Multi-Criteria Decision Making Problems with Decision Making Trial and Evaluation Laboratory Technique in R.

Depends R (>= 3.5.0),

License GPL-3

Encoding UTF-8

LazyData true

Imports ggplot2, knitr

Suggests rmarkdown

VignetteBuilder knitr

RoxygenNote 7.1.1

NeedsCompilation no

Author Muhlis Ozdemir [aut, cre]
(<<https://orcid.org/0000-0002-4921-8209>>), Yakup Celikbilek
[aut, ctb] (<<https://orcid.org/0000-0003-0585-1085>>)

Date/Publication 2021-02-22 11:10:05 UTC

Repository <https://muhlisoz.r-universe.dev>

RemoteUrl <https://github.com/cran/dematel>

RemoteRef HEAD

RemoteSha 3f2335fdc1be6cdcf7645a6426518ced0203ad5d

Contents

<i>check_data</i>	2
<i>compare_criteria</i>	3
<i>dematel</i>	3
<i>execute_dematel</i>	4
<i>hospitaldata</i>	4
<i>medicaldevice</i>	5
<i>normalize_data</i>	6
<i>nurseselection</i>	6
<i>relationships_between_criteria</i>	7
<i>threshold_value</i>	7
<i>total_relationship_matrix</i>	8
<i>visualize</i>	9

Index

10

<i>check_data</i>	<i>Data checker</i>
-------------------	---------------------

Description

Throws an error message if data is not matrix format, checks names attribute of the matrix, assign new ones if not defined

Usage

```
check_data(x)
```

Arguments

x numeric values containing the data of direct relationship decision matrix.

Value

This function checks whether data is matrix or not. Returns a matrix and assign new names if not defined.

Author(s)

Muhlis Ozdemir <muhlisoz@gmail.com>

compare_criteria	<i>Relation results</i>
------------------	-------------------------

Description

Returns relation results that exceed threshold value of direct relationship decision matrix

Usage

```
compare_criteria(x, data_control = TRUE)
```

Arguments

- x a matrix containing the values of direct relationship decision matrix.
data_control is a pre-defined logical parameter that whether data should checked.

Value

This function returns a num matrix.

Author(s)

Muhlis Ozdemir <muhlisoz@gmail.com>

See Also

[apply](#) function.

Examples

```
compare_criteria(dematel::hospitaldata)
compare_criteria(dematel::nurseselection)
compare_criteria(dematel::medicaldevice)
```

dematel	<i>A Technique of Multi-Criteria Decision Making</i>
---------	--

Description

Easily solve Multi-Criteria Decision Making Problems with Decision Making Trial and Evaluation Laboratory Technique.

Author(s)

Muhlis Ozdemir <muhlisoz@gmail.com> Yakup Celikbilek <yakupcelikbilek@gmail.com>

Examples

```
normalize_data(dematel::nurseselection)

total_relationship_matrix(dematel::nurseselection)

relationships_between_criteria(dematel::nurseselection)

visualize(dematel::nurseselection)

threshold_value(dematel::nurseselection)

compare_criteria(dematel::nurseselection)
```

`execute_dematel` *Complete Dematel Analysis*

Description

Executes all functions and conducts dematel analysis at once

Usage

```
execute_dematel(x)
```

Arguments

<code>x</code>	a matrix containing the values of normalized initial direct-relation decision matrix.
----------------	---

Value

This function executes all functions, conducts dematel analysis at once and returns a matrix that contains data, a matrix that contains normalized data, a matrix that contains normalized initial direct-relation matrix, a `data.frame` that contains relationships between criteria, a graph, a num that contains threshold value, a list of criteria comparisons.

`hospitaldata` *Hospital Location Selection Data*

Description

A dataset containing hospital location selection problem data. This data set gathered from Celikbilek Y., Ozdemir M. Cok Kriterli Karar Verme Teknikleri Aciklamali ve Karsilastirmali Saglik Bilimleri Uygulamalari ile, pp. 12, NOBEL Akademik Yayincilik, Ankara, 2020.

Usage

```
hospitaldata
```

Format

A data frame of 10 rows and 10 columns

K1 Numeric values of land / building cost

K2 Numeric values of operational repair / maintenance costs

K3 Numeric values of population density

K4 Numeric values of distance to educational institutions in the neighbourhood

K5 Numeric values of people's income level in the neighbourhood

K6 Numeric values of distance to public transport vehicles

K7 Numeric values of distance to suppliers

K8 Numeric values of distance to other hospitals

K9 Numeric values of building / land opportunities for additional units planned to be built in the future

K10 Numeric values of convenient transportation for ambulances

```
medicaldevice
```

Medical Device Selection Data

Description

A dataset containing medical device selection problem data. This data set gathered from Celikbilek Y., Ozdemir M. Cok Kriterli Karar Verme Teknikleri Aciklamali ve Karsilastirmali Saglik Bilimleri Uygulamalari ile, pp. 12, NOBEL Akademik Yayincilik, Ankara, 2020.

Usage

```
medicaldevice
```

Format

A data frame of 5 rows and 5 columns

K1 Numeric values of price

K2 Numeric values of ease of use

K3 Numeric values of 24/7 technical support

K4 Numeric values of technical service speed

K5 Numeric values of electrode quality

normalize_data	<i>Normalize Data</i>
----------------	-----------------------

Description

Normalizes matrix format data

Usage

```
normalize_data(x, data_control = TRUE)
```

Arguments

- x a matrix containing the values of direct relationship decision matrix.
- data_control is a pre-defined logical parameter that whether data should checked.

Value

This function returns a list of data, and normalized matrix.

nurseselection	<i>Nurse Selection Data</i>
----------------	-----------------------------

Description

A dataset containing nurse selection problem data. This data set gathered from Celikbilek Y., Ozdemir M. Cok Kriterli Karar Verme Teknikleri Aciklamali ve Karsilastirmali Saglik Bilimleri Uygulamalari ile, pp. 12, NOBEL Akademik Yayincilik, Ankara, 2020.

Usage

```
nurseselection
```

Format

A data frame of 8 rows and 8 columns

- K1** Numeric values of graduation success
- K2** Numeric values of overall success of the school she/he graduated from
- K3** Numeric values of total experience time
- K4** Numeric values of surgical and operating room nursing experience time
- K5** Numeric values of personality inventory result
- K6** Numeric values of communication ability result
- K7** Numeric values of coordination ability result
- K8** Numeric values of foreign language level

```
relationships_between_criteria  
Relationships between criteria
```

Description

Returns total relationships between criteria data.frame

Usage

```
relationships_between_criteria(x, data_control = TRUE)
```

Arguments

- x a matrix containing the values of direct relationship decision matrix.
- data_control is a pre-defined logical parameter that whether data should checked.

Value

This function returns a data.frame

Author(s)

Muhlis Ozdemir <muhlisoz@gmail.com>

See Also

[apply](#)

Examples

```
relationships_between_criteria(dematel::hospitaldata)  
relationships_between_criteria(dematel::nurseselection)  
relationships_between_criteria(dematel::medicaldevice)
```

```
threshold_value        Threshold value
```

Description

Returns threshold value of direct relationship decision matrix

Usage

```
threshold_value(x, data_control = TRUE)
```

Arguments

- x a matrix containing the values of direct relationship decision matrix.
- data_control is a pre-defined logical parameter that whether data should checked.

Value

This function returns a num

Author(s)

Muhlis Ozdemir <muhlisoz@gmail.com>

Examples

```
threshold_value(dematel::hospitaldata)
threshold_value(dematel::nurseselection)
threshold_value(dematel::medicaldevice)
```

total_relationship_matrix
Relationship matrix

Description

Returns total relationship matrix of direct relationship decision matrix

Usage

```
total_relationship_matrix(x, data_control = TRUE)
```

Arguments

- x a matrix containing the values of direct relationship decision matrix.
- data_control is a pre-defined logical parameter that whether data should checked.

Value

This function returns a matrix

Author(s)

Muhlis Ozdemir <muhlisoz@gmail.com>

See Also

[apply](#) function.

Examples

```
total_relationship_matrix(dematel::hospitaldata)
total_relationship_matrix(dematel::nurseselection)
total_relationship_matrix(dematel::medicaldevice)
```

visualize

Causal Diagram

Description

Returns Causal Diagram of criteria

Usage

```
visualize(x, data_control = TRUE)
```

Arguments

x a matrix containing the values of direct relationship decision matrix.
data_control is a pre-defined logical parameter that whether data should checked.

Value

This function returns a graph

Author(s)

Muhlis Ozdemir <muhlisoz@gmail.com>

Examples

```
visualize(dematel::hospitaldata)
visualize(dematel::nurseselection)
visualize(dematel::medicaldevice)
```

Index

* datasets

hospitaldata, [4](#)
medicaldevice, [5](#)
nurseselection, [6](#)

apply, [3](#), [7](#), [8](#)

check_data, [2](#)
compare_criteria, [3](#)

dematel, [3](#)
dematel-package (dematel), [3](#)

execute_dematel, [4](#)

hospitaldata, [4](#)

medicaldevice, [5](#)

normalize_data, [6](#)
nurseselection, [6](#)

relationships_between_criteria, [7](#)

threshold_value, [7](#)
total_relationship_matrix, [8](#)

visualize, [9](#)